


DIN 374



Maschinen-Gewindebohrer mit Überlaufschaft für Metrisches ISO-Feingewinde nach DIN 13

Machine taps with reduced shank for ISO metric fine thread as per DIN 13



VA	VAP	VA	VA	VA	HD	HD	Typ / Type		
6 HX	6 HX	6 GX	6 HX	6 HX	6 H	6 H	Toleranz Tolerance		
B/4-5	B/4-5	B/4-5	B/4-5	B/4-5	B/4-5	B/4-5	Anschnitt / Gangzahl Chamfer form / No. of threads		
							Schneidrichtung Cutting direction		
HSS-Co	HSS-Co	HSS-Co	HSS-Co	HSS-Co	HSS-Co	HSS-Co	Schneidstoff / Material		
6663	6663 VP	6663 6G	6663 TN	6663 XP	6872	6872 TN	Ø mm	Steigung Pitch	Kernloch Ø Tap drill Ø
-	-	-	-	-	-	-	MF 3	0,35	2,65
-	-	-	-	-	-	-	MF 3,5	0,35	3,15
-	-	-	-	-	-	-	MF 4	0,50	3,50
-	-	-	-	-	-	-	MF 5	0,50	4,50
-	-	-	-	-	-	-	MF 6	0,50	5,50
-	-	-	-	-	●	●	MF 6	0,75	5,20
-	-	-	-	-	-	-	MF 7	0,75	6,20
-	-	-	-	-	●	●	MF 8	0,75	7,20
●	●	●	●	●	●	●	MF 8	1,00	7,00
-	-	-	-	-	-	-	MF 9	1,00	8,00
-	-	-	-	-	-	-	MF 10	0,75	9,20
●	●	●	●	●	●	●	MF 10	1,00	9,00
●	●	-	●	●	-	-	MF 10	1,25	8,80
-	-	-	-	-	-	-	MF 11	1,00	10,00
●	●	●	●	●	●	●	MF 12	1,00	11,00
-	-	-	-	-	-	-	MF 12	1,25	10,80
●	●	●	●	●	●	●	MF 12	1,50	10,50
-	-	-	-	-	-	-	MF 14	1,00	13,00
-	-	-	-	-	-	-	MF 14	1,25*	12,80
●	●	●	●	●	●	●	MF 14	1,50	12,50
-	-	-	-	-	-	-	MF 15	1,00	14,00
-	-	-	-	-	-	-	MF 15	1,50	13,50
-	-	-	-	-	-	-	MF 16	1,00	15,00
●	●	●	●	●	●	●	MF 16	1,50	14,50
-	-	-	-	-	-	-	MF 18	1,00	16,50
●	●	●	●	●	●	●	MF 18	1,50	16,50
-	-	-	-	-	-	-	MF 18	2,00	16,00

VA: Für rostfreien Stahl
for stainless steel

HD: für zähe Werkstoffe
for tough materials

VAP: vaporisiert
vaporized

● Standardartikel / Items available ex stock