

FRESE CONICHE

IN METALLO DURO INTEGRALE - CONICITÀ $\alpha/2 = 1^{\circ}1/2$ e $\alpha/2 = 2^{\circ}$


SOLID CARBIDE TAPER MILLS - INCLINATION $\alpha/2 = 1^{\circ}1/2$ AND $\alpha/2 = 2^{\circ}$

VHM GESENKFRÄSER KEGELIG - NEIGUNG $\alpha/2 = 1^{\circ}1/2$ UND $\alpha/2 = 2^{\circ}$



FRAISES CONIQUES POUR MATRICES EN CARBURE MONOBLOC - INCLINAISON $\alpha/2 = 1^{\circ}1/2$ ET $\alpha/2 = 2^{\circ}$

FRESAS CÓNICAS DE METAL DURO INTEGRAL - INCLINACIÓN $\alpha/2 = 1^{\circ}1/2$ Y $\alpha/2 = 2^{\circ}$

TALICARB NORM





1515



Ø mm	L mm	L1 mm	d mm	Z	1515
					€
2.5	63	20	4	3	31,90
3	63	20	4	3	31,90
3.5	63	20	5	3	37,75
4	63	20	5	3	37,75
5	75	30	6	3	72,80
6	75	30	8	3	72,80
8	75	30	10	4	93,20
10	75	30	12	4	115,00
12	100	30	14	4	227,50

1520



Ø mm	L mm	L1 mm	d mm	Z	1520
					€
2.5	63	20	4	3	31,90
3	63	20	5	3	37,75
3.5	63	20	5	3	37,75
4	63	20	6	3	39,30
5	75	30	8	3	72,80
6	75	30	8	3	72,80
8	75	30	10	4	93,20
10	75	30	12	4	115,00
12	100	50	16	4	249,50